

SECTION 1: Identification of the substance or mixture and of the supplier

Product identifier

Trade name: CA80FE Reagent RK

Synonym: *for iron*

Article number: *CY80FE-MM+SF*

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture *Laboratory chemicals*

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Endress+Hauser

Conducta GmbH+Co. KG

Dieselstraße 24

D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-117

Fax.: +49 (0)7156 209-222

E-Mail: MSDS.PCC@endress.com

Emergency telephone number: *+27 (0)861 555 777*

SECTION 2: Hazards identification

Classification of the substance or mixture



skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.



corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Label elements

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms *GHS05, GHS06*

Signal word *Danger*

Hazard-determining components of labelling:

ammonium thioglycolate

thioglycolic acid

Hazard statements

Toxic if swallowed.

Harmful in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Trade name: CA80FE Reagent RK

(Contd. of page 1)

Precautionary statements

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Specific treatment (see on this label).

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

Results of PBT and vPvB assessment

PBT: *Not applicable.*

vPvB: *Not applicable.*

SECTION 3: Composition/information on ingredients

Mixtures

Description: *Mixture of substances listed below with nonhazardous additions.*

Dangerous components:		
CAS: 5421-46-5 EINECS: 226-540-9	ammonium thioglycolate ☠ Acute Tox. 3, H301; ☠ Met. Corr. 1, H290; ⚠ Skin Sens. 1, H317	10-20%
CAS: 68-11-1 EINECS: 200-677-4	thioglycolic acid ☠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ☠ Skin Corr. 1B, H314	10-20%

Additional information: *For the wording of the listed hazard phrases refer to section 16.*

SECTION 4: First aid measures

Description of first aid measures
General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

After eye contact: *Rinse opened eye for several minutes under running water. Then consult a doctor.*

After swallowing:

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

Trade name: CA80FE Reagent RK

(Contd. of page 2)

* SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: no further information

Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Advice for firefighters

Protective equipment: Mount respiratory protective device.

* SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

* SECTION 7: Handling and storage

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep container tightly sealed.

Storage class: 6.1 B

Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Control parameters

Ingredients with limit values that require monitoring at the workplace:

68-11-1 thioglycolic acid

OEL | Long-term value: 5 mg/m³, 1 ppm

Additional information: The lists valid during the making were used as basis.

Exposure controls

Appropriate engineering controls No further data; see item 7.

(Contd. on page 4)

Trade name: CA80FE Reagent RK

(Contd. of page 3)

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work.
 Avoid contact with the eyes.
 Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.
 Only use chemical-protective gloves with CE-labelling of category III.
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR
 Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eyeface protection



Tightly sealed goggles

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

General Information

Physical state

Fluid

Colour:

Yellow

Odour:

Characteristic

Odour threshold:

Not determined.

Melting point/freezing point:

Undetermined.

Boiling point or initial boiling point and boiling range

100 °C

Flammability

Not applicable.

Lower and upper explosion limit

Lower:

Not determined.

Upper:

Not determined.

Flash point:

Not applicable.

Auto-ignition temperature:

Product is not selfigniting.

Decomposition temperature:

Not determined.

pH at 20 °C

3.5

(Contd. on page 5)

Trade name: CA80FE Reagent RK

(Contd. of page 4)

Viscosity:	
Kinematic viscosity	<i>Not determined.</i>
Dynamic:	<i>Not determined.</i>
Solubility	
water:	<i>Fully miscible.</i>
Partition coefficient n-octanol/water (log value)	<i>Not determined.</i>
Vapour pressure at 20 °C:	<i>23 hPa</i>
Density and/or relative density	
Density at 20 °C:	<i>1.093 g/cm³</i>
Relative density	<i>Not determined.</i>
Vapour density	<i>Not determined.</i>
Other information	
Appearance:	
Form:	<i>Fluid</i>
Important information on protection of health and environment, and on safety.	
Explosive properties:	<i>Product does not present an explosion hazard. Not determined.</i>
Solvent content:	
Water:	<i>64.5 %</i>
Solids content:	<i>0.0 %</i>
Change in condition	
Evaporation rate	<i>Not determined.</i>
Information with regard to physical hazard classes	
Explosives	<i>Void</i>
Flammable gases	<i>Void</i>
Aerosols	<i>Void</i>
Oxidising gases	<i>Void</i>
Gases under pressure	<i>Void</i>
Flammable liquids	<i>Void</i>
Flammable solids	<i>Void</i>
Self-reactive substances and mixtures	<i>Void</i>
Pyrophoric liquids	<i>Void</i>
Pyrophoric solids	<i>Void</i>
Self-heating substances and mixtures	<i>Void</i>
Substances and mixtures, which emit flammable gases in contact with water	<i>Void</i>
Oxidising liquids	<i>Void</i>
Oxidising solids	<i>Void</i>
Organic peroxides	<i>Void</i>
Corrosive to metals	<i>Void</i>
Desensitised explosives	<i>Void</i>

SECTION 10: Stability and reactivity

Reactivity *No further relevant information available.*

Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions *No dangerous reactions known.*

Conditions to avoid *No further relevant information available.*

Incompatible materials: *No further relevant information available.*

Hazardous decomposition products: *No dangerous decomposition products known.*

(Contd. on page 6)

Trade name: CA80FE Reagent RK

(Contd. of page 5)

* SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Toxic if swallowed.

Harmful in contact with skin or if inhaled.

Skin corrosion/irritation *Causes severe skin burns and eye damage.*

Serious eye damage/irritation *Causes serious eye damage.*

Respiratory or skin sensitisation *May cause an allergic skin reaction.*

Information on other hazards

Endocrine disrupting properties
<i>None of the ingredients is listed.</i>

* SECTION 12: Ecological information

Toxicity

Aquatic toxicity: *No further relevant information available.*

Persistence and degradability *No further relevant information available.*

Bioaccumulative potential *No further relevant information available.*

Mobility in soil *No further relevant information available.*

Results of PBT and vPvB assessment

PBT: *Not applicable.*

vPvB: *Not applicable.*

Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: *Disposal must be made according to official regulations.*

Recommended cleansing agents: *Water, if necessary together with cleansing agents.*

* SECTION 14: Transport information

UN number or ID number

ADR, IMDG, IATA

UN2922

UN proper shipping name

ADR

UN2922 CORROSIVE LIQUID, TOXIC, N.O.S.
(ammonium thioglycolate, THIOGLYCOLIC ACID)
CORROSIVE LIQUID, TOXIC, N.O.S. (ammonium
thioglycolate, THIOGLYCOLIC ACID)

IMDG

IATA

Corrosive liquid, toxic, n.o.s. (containing ammonium
thioglycolate, THIOGLYCOLIC ACID)

(Contd. on page 7)

Trade name: CA80FE Reagent RK

(Contd. of page 6)

Transport hazard class(es)

ADR



Class Label

8 (CT1) Corrosive substances.
8+6.1

IMDG



Class Label

8 Corrosive substances.
8/6.1

IATA



Class Label

8 Corrosive substances.
8 (6.1)

Packing group

II

ADR, IMDG, IATA

Environmental hazards:

Not applicable.

Special precautions for user

Warning: Corrosive substances.

Hazard identification number (Kemler code):

86

EMS Number:

F-A,S-B

Segregation groups

Acids

Stowage Category

B

Stowage Code

SW2 Clear of living quarters.

Maritime transport in bulk according to IMO instruments

Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ)

1L

Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

Transport category

2

Tunnel restriction code

E

IMDG

Limited quantities (LQ)

1L

Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

UN "Model Regulation":

UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S.
(AMMONIUM THIOGLYCOLATE, THIOGLYCOLIC ACID),
8 (6.1), II

(Contd. on page 8)

Trade name: CA80FE Reagent RK

(Contd. of page 7)

SECTION 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****GHS label elements***The product is classified and labelled according to the Globally Harmonised System (GHS).***Hazard pictograms** GHS05, GHS06**Signal word** *Danger***Hazard-determining components of labelling:***ammonium thioglycolate**thioglycolic acid***Hazard statements***Toxic if swallowed.**Harmful in contact with skin or if inhaled.**Causes severe skin burns and eye damage.**May cause an allergic skin reaction.***Precautionary statements***IF SWALLOWED: Immediately call a POISON CENTER/ doctor.**Specific treatment (see on this label).**IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].**IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**Take off contaminated clothing and wash it before reuse.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Directive 2012/18/EU****Named dangerous substances - ANNEX I** *None of the ingredients is listed.***National regulations:****Waterhazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.***Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.***SECTION 16: Other information***This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.***Department issuing SDS:** *PCC-TWRC***Contact:** *MSDS.pcc@endress.com***Abbreviations and acronyms:***RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)**ICAO: International Civil Aviation Organisation**ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Met. Corr. 1: Corrosive to metals – Category 1**Acute Tox. 3: Acute toxicity - oral – Category 3**Acute Tox. 4: Acute toxicity - dermal – Category 4**Skin Corr. 1B: Skin corrosion/irritation – Category 1B**Eye Dam. 1: Serious eye damage/eye irritation – Category 1**Skin Sens. 1: Skin sensitisation – Category 1**** Data compared to the previous version altered.**