

SECTION 1: Identification of the substance or mixture and of the supplier**1.1 Product identifier****Trade name:** Elektrolyt CCS55D**Synonym:** *Electrolyte CCS55D***Article number:** *CCV05-55x***1.2 Relevant identified uses of the substance or mixture and uses advised against***No further relevant information available.***Application of the substance / the mixture** *electrolyte***1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:***Endress+Hauser**Conducta GmbH+Co. KG**Dieselstraße 24**D-70839 Gerlingen***Further information obtainable from:***Phone: +49 (0)7156 209-10117**E-Mail: MSDS.PCC@endress.com***1.4 Emergency telephone number:** *0064 800 764 766**** SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008***The product is not classified, according to the CLP regulation.***Classification according to Directive 67/548/EEC or Directive 1999/45/EC** *Not applicable.***Information concerning particular hazards for human and environment:***The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.***Classification system:***The classification is according to the latest editions of the EU-lists, and extended by company and literature data.***2.2 Label elements****Labelling according to EU guidelines:***Observe the general safety regulations when handling chemicals.**The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.***Safety phrases:***29 Do not empty into drains.***2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** *Not applicable.***vPvB:** *Not applicable.**** SECTION 3: Composition/Information on ingredients****3.2 Mixtures****Description:** *aqueous solution*

(Contd. on page 2)

— NZ —

Trade name: Elektrolyt CCS55D

(Contd. of page 1)

Dangerous components:	
CAS: 55965-84-9	<p>reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)</p> <p> T R23/24/25; C R34; Xi R43; N R50/53</p> <p> Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317</p> <p>Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %</p>

Additional information: For the wording of the listed hazard phrases refer to section 16.

* **SECTION 4: First aid measures****4.1 Description of first aid measures**

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

* **SECTION 5: Fire fighting measures****5.1 Extinguishing media**

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: no further information

5.2 Special hazards arising from the substance or mixture No further relevant information available.**5.3 Advice for firefighters** No further relevant information available.

Protective equipment: No special measures required.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.**6.2 Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

* **SECTION 7: Handling and storage****7.1 Precautions for safe handling** No special precautions are necessary if used correctly.

Information about fire - and explosion protection: No special measures required.

(Contd. on page 3)

Trade name: Elektrolyt CCS55D

(Contd. of page 2)

7.2 Conditions for safe storage, including any incompatibilities**Storage:****Requirements to be met by storerooms and receptacles:** *No special requirements.***Information about storage in one common storage facility:** *Not required.***Further information about storage conditions:** *None.***Storage class:** 12**7.3 Specific end use(s)** *No further relevant information available.***SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:***The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.***Additional information:** *The lists valid during the making were used as basis.***8.2 Exposure controls****Appropriate engineering controls** *No further data; see item 7.***Individual protection measures, such as personal protective equipment****General protective and hygienic measures:** *Wash hands before breaks and at the end of work.***Respiratory protection:** *Not required.***Hand protection***To avoid skin problems reduce the wearing of gloves to the required minimum.**The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.**No chemical-protective gloves required.***Material of gloves***The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.***Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.***Eye/face protection** *Goggles recommended during refilling***Body protection:** *Protective work clothing***SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Physical state***Fluid***Colour:***Yellow tint***Odour:***Odourless***Odour threshold:***Not determined.***Melting point/freezing point:***2 °C***Boiling point or initial boiling point and boiling range***100 °C***Flammability***Not applicable.***Lower and upper explosion limit****Lower:***Not determined.***Upper:***Not determined.***Flash point:***Not applicable.***pH at 20 °C***6.5-7.5*

(Contd. on page 4)

Trade name: Elektrolyt CCS55D

(Contd. of page 3)

Viscosity:	
Kinematic viscosity	<i>Not determined.</i>
Dynamic:	<i>Not determined.</i>
Solubility	
water:	<i>Fully miscible.</i>
Partition coefficient n-octanol/water (log value)	<i>Not determined.</i>
Vapour pressure at 20 °C:	<i>23 hPa</i>
Density and/or relative density	
Density:	<i>Not determined.</i>
Relative density	<i>Not determined.</i>
Vapour density	<i>Not determined.</i>
9.2 Other information	
Appearance:	
Form:	<i>Viscous</i>
Important information on protection of health and environment, and on safety.	
Auto-ignition temperature:	<i>Product is not selfigniting.</i>
Explosive properties:	<i>Product does not present an explosion hazard. Not determined.</i>
Solvent content:	
Water:	<i>95.2 %</i>
Solids content:	<i>0.0 %</i>
Change in condition	
Evaporation rate	<i>Not determined.</i>
Information with regard to physical hazard classes	
Explosives	<i>Void</i>
Flammable gases	<i>Void</i>
Aerosols	<i>Void</i>
Oxidising gases	<i>Void</i>
Gases under pressure	<i>Void</i>
Flammable liquids	<i>Void</i>
Flammable solids	<i>Void</i>
Self-reactive substances and mixtures	<i>Void</i>
Pyrophoric liquids	<i>Void</i>
Pyrophoric solids	<i>Void</i>
Self-heating substances and mixtures	<i>Void</i>
Substances and mixtures, which emit flammable gases in contact with water	<i>Void</i>
Oxidising liquids	<i>Void</i>
Oxidising solids	<i>Void</i>
Organic peroxides	<i>Void</i>
Corrosive to metals	<i>Void</i>
Desensitised explosives	<i>Void</i>

SECTION 10: Stability and reactivity**10.1 Reactivity** *No further relevant information available.***10.2 Chemical stability****Thermal decomposition / conditions to be avoided:***No decomposition if used according to specifications.***10.3 Possibility of hazardous reactions** *No dangerous reactions known.***10.4 Conditions to avoid** *No further relevant information available.***10.5 Incompatible materials:** *No further relevant information available.***10.6 Hazardous decomposition products:** *No dangerous decomposition products known.*

(Contd. on page 5)

Trade name: Elektrolyt CCS55D

(Contd. of page 4)

SECTION 11: Toxicological information**11.2 Information on other hazards****Endocrine disrupting properties***None of the ingredients is listed.**** SECTION 12: Ecological information****12.1 Toxicity***Aquatic toxicity: No further relevant information available.***12.2 Persistence and degradability** *No further relevant information available.***12.3 Bioaccumulative potential** *No further relevant information available.***12.4 Mobility in soil** *No further relevant information available.***12.5 Results of PBT and vPvB assessment****PBT:** *Not applicable.***vPvB:** *Not applicable.***12.6 Endocrine disrupting properties***The product does not contain substances with endocrine disrupting properties.***12.7 Other adverse effects****Additional ecological information:****General notes:***Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water**Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.**** SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation***Must not be disposed together with household garbage. Do not allow product to reach sewage system.***Uncleaned packaging:****Recommendation:** *Disposal must be made according to official regulations.***Recommended cleansing agents:** *Water, if necessary together with cleansing agents.**** SECTION 14: Transport information****14.1 UN number or ID number****IMDG, IATA***Void***14.2 UN proper shipping name****ADR, IMDG, IATA***Void***14.3 Transport hazard class(es)****ADR, ADN, IMDG, IATA****Class***Void***14.4 Packing group****ADR, IMDG, IATA***Void***14.5 Environmental hazards:***Not applicable.***14.6 Special precautions for user***Not applicable.***14.7 Maritime transport in bulk according to IMO****instruments***Not applicable.***UN "Model Regulation":***Void*

(Contd. on page 6)

— NZ —

Trade name: Elektrolyt CCS55D

(Contd. of page 5)

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****New Zealand Inventory of Chemicals***All ingredients are listed.***Directive 2012/18/EU****Named dangerous substances - ANNEX I** *None of the ingredients is listed.***National regulations:****Waterhazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.***15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.***SECTION 16: Other information***This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.***16.1 Relevant phrases***H301 Toxic if swallowed.**H310 Fatal in contact with skin.**H314 Causes severe skin burns and eye damage.**H317 May cause an allergic skin reaction.**H318 Causes serious eye damage.**H330 Fatal if inhaled.**H400 Very toxic to aquatic life.**H410 Very toxic to aquatic life with long lasting effects.**R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.**R34 Causes burns.**R43 May cause sensitisation by skin contact.**R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.***16.3 Recommended restriction of use****Department issuing SDS:** *PCC-TWR***Contact:** *MSDS.pcc@endress.com***Abbreviations and acronyms:***ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Acute Tox. 3: Acute toxicity – Category 3**Acute Tox. 2: Acute toxicity – Category 2**Skin Corr. 1C: Skin corrosion/irritation – Category 1C**Eye Dam. 1: Serious eye damage/eye irritation – Category 1**Skin Sens. 1A: Skin sensitisation – Category 1A**Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1**** Data compared to the previous version altered.**