

SECTION 1: Identification of the substance or mixture and of the supplier**1.1 Product identifier**Trade name: **Cleaning solution**Article number: *CY800-AFx1***1.2 Relevant identified uses of the substance or mixture and uses advised against***No further relevant information available.*Application of the substance / the mixture *Cleaning agent/ Cleaner***1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:***Endress+Hauser
Conducta GmbH+Co. KG
Dieselstraße 24
D-70839 Gerlingen***Further information obtainable from:***Phone: +49 (0)7156 209-10117
E-Mail: MSDS.PCC@endress.com***1.4 Emergency telephone number:** *0064 800 764 766***SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008

*flame**Flam. Liq. 2 H225 Highly flammable liquid and vapour.**corrosion**Skin Corr. 1B H314 Causes severe skin burns and eye damage.**Eye Dam. 1 H318 Causes serious eye damage.*

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

*Xi; Irritant**R36: Irritating to eyes.**F; Highly flammable**R11: Highly flammable.***Information concerning particular hazards for human and environment:***The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.***Classification system:***The classification is according to the latest editions of the EU-lists, and extended by company and literature data.***2.2 Label elements****Labelling according to EU guidelines:***The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.*

(Contd. on page 2)

— NZ —

Trade name: Cleaning solution

(Contd. of page 1)

Code letter and hazard designation of product:



Xi Irritant
F Highly flammable

Risk phrases:

11 Highly flammable.
36 Irritating to eyes.

Safety phrases:

9 Keep container in a well-ventilated place.
16 Keep away from sources of ignition - No smoking.
23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
24/25 Avoid contact with skin and eyes.
60 This material and its container must be disposed of as hazardous waste.

2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.

SECTION 3: Composition/Information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 67-63-0 EINECS: 200-661-7	propan-2-ol Xi R36; F R11 R67 Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	10-20%
CAS: 7647-01-0 EINECS: 231-595-7	hydrochloric acid C R34; Xi R37 Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; STOT SE 3, H335 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	5-10%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.
Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

Trade name: Cleaning solution

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed*No further relevant information available.***SECTION 5: Fire fighting measures****5.1 Extinguishing media****Suitable extinguishing agents:** *Use fire extinguishing methods suitable to surrounding conditions.***For safety reasons unsuitable extinguishing agents:** *Water with full jet***5.2 Special hazards arising from the substance or mixture***During heating or in case of fire poisonous gases are produced.***5.3 Advice for firefighters** *No further relevant information available.***Protective equipment:** *Mount respiratory protective device.***SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures***Mount respiratory protective device.**Wear protective equipment. Keep unprotected persons away.**Wear protective clothing.***6.2 Environmental precautions:***Prevent seepage into sewage system, workpits and cellars.**Do not allow to enter sewers/ surface or ground water.***6.3 Methods and material for containment and cleaning up:***Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).**Use neutralising agent.**Dispose contaminated material as waste according to item 13.**Ensure adequate ventilation.***6.4 Reference to other sections***See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.***SECTION 7: Handling and storage****7.1 Precautions for safe handling***Ensure good ventilation/exhaustion at the workplace.**Prevent formation of aerosols.***Information about fire - and explosion protection:***Keep ignition sources away - Do not smoke.**Protect against electrostatic charges.**Keep respiratory protective device available.***7.2 Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** *Store in a cool location.***Information about storage in one common storage facility:** *Not required.***Further information about storage conditions:***Keep container tightly sealed.**Store in cool, dry conditions in well sealed receptacles.***Storage class:** 3**7.3 Specific end use(s)** *No further relevant information available.*

(Contd. on page 4)

—NZ—

Trade name: Cleaning solution

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 67-63-0 propan-2-ol

WES (New Zealand) Short-term value: 1230 mg/m³, 500 ppm
Long-term value: 983 mg/m³, 400 ppm

CAS: 7647-01-0 hydrochloric acid

WES (New Zealand) Ceiling limit: 7.5 mg/m³, 5 ppm
IOELV (EU) Short-term value: 15 mg/m³, 10 ppm
Long-term value: 8 mg/m³, 5 ppm

DNELs

CAS: 7647-01-0 hydrochloric acid

Inhalative	DNEL short-term	15 mg/m ³ (worker) (local effects) 15 mg/m ³ (consumer) (local effects)
	DNEL long-term	8 mg/m ³ (worker) (local effects) 8 mg/m ³ (consumer) (local effects)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.
Only use chemical-protective gloves with CE-labelling of category III.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR
Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Trade name: Cleaning solution

(Contd. of page 4)

Eye/face protection



Tightly sealed goggles

Body protection: *Protective work clothing*

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	<i>Fluid</i>
Colour:	<i>Colourless</i>
Odour:	<i>Alcohol-like</i>
Odour threshold:	<i>Not determined.</i>
Melting point/freezing point:	<i>Undetermined.</i>
Boiling point or initial boiling point and boiling range	<i>82 °C</i>
Flammability	<i>Not applicable.</i>
Lower and upper explosion limit	
Lower:	<i>2 Vol %</i>
Upper:	<i>12 Vol %</i>
Flash point:	<i>< 23 °C</i>
Ignition temperature:	<i>425 °C</i>
Decomposition temperature:	<i>Not determined.</i>
pH at 20 °C	<i><2</i>
Viscosity:	
Kinematic viscosity	<i>Not determined.</i>
Dynamic:	<i>Not determined.</i>
Solubility	
water:	<i>Not miscible or difficult to mix.</i>
Partition coefficient n-octanol/water (log value)	<i>Not determined.</i>
Vapour pressure at 20 °C:	<i>43 hPa</i>
Density and/or relative density	
Density:	<i>Not determined.</i>
Relative density	<i>Not determined.</i>
Vapour density	<i>Not determined.</i>

9.2 Other information

Appearance:	
Form:	<i>Fluid</i>
Important information on protection of health and environment, and on safety.	
Auto-ignition temperature:	<i>Product is not selfigniting.</i>
Explosive properties:	<i>Product is not explosive. However, formation of explosive air/vapour mixtures are possible.</i>
Solvent content:	
Organic solvents:	<i>15.0 %</i>
Water:	<i>71.4 %</i>
Solids content:	<i>0.0 %</i>
Change in condition	
Evaporation rate	<i>Not determined.</i>

Information with regard to physical hazard classes

Explosives	<i>Void</i>
Flammable gases	<i>Void</i>
Aerosols	<i>Void</i>

(Contd. on page 6)

Trade name: Cleaning solution

(Contd. of page 5)

Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**Acute toxicity****LD/LC50 values relevant for classification:****CAS: 67-63-0 propan-2-ol**

Oral	LD50	5,045 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rbt)
Inhalative	LC50/4 h	30 mg/l (rat)

CAS: 7647-01-0 hydrochloric acid

Oral	LD50	900 mg/kg (rabbit)
------	------	--------------------

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

11.2 Information on other hazards**Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

(Contd. on page 7)

Trade name: Cleaning solution

(Contd. of page 6)

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: *Disposal must be made according to official regulations.*

SECTION 14: Transport information

14.1 UN number or ID number

IMDG, IATA

UN2924

14.2 UN proper shipping name

ADR

UN2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), HYDROCHLORIC ACID)

IMDG

FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), HYDROCHLORIC ACID)

IATA

Flammable liquid, corrosive, n.o.s. (containing ISOPROPANOL (ISOPROPYL ALCOHOL), HYDROCHLORIC ACID)

14.3 Transport hazard class(es)

ADR



Class

3 (FC) Flammable liquids.

Label

3+8

IMDG



Class

3 Flammable liquids.

Label

3/8

(Contd. on page 8)

Trade name: Cleaning solution

(Contd. of page 7)

IATA



Class	3 Flammable liquids.
Label	3 (8)
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	338
EMS Number:	F-E, S-C
Segregation groups	Alkalis
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG35 Stow "separated from" SGG1-acids
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.

Transport/Additional information:

ADR	
Limited quantities (LQ)	1L
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), HYDROCHLORIC ACID), 3 (8), II
UN "Model Regulation":	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand Inventory of Chemicals

All ingredients are listed.

HSNO Approval numbers

CAS: 67-63-0	propan-2-ol	HSR001180
CAS: 7647-01-0	hydrochloric acid	HSR004090

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

National regulations:

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

Trade name: Cleaning solution

(Contd. of page 8)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

16.1 Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

R11 Highly flammable.

R34 Causes burns.

R36 Irritating to eyes.

R37 Irritating to respiratory system.

R67 Vapours may cause drowsiness and dizziness.

16.3 Recommended restriction of use

Department issuing SDS: PCC-TWR

Contact: MSDS.pcc@endress.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

*** Data compared to the previous version altered.**