

Company **Endress+Hauser SE+Co. KG, Hauptstrasse 1, 79689 Maulburg**

declares as manufacturer, that the following product

Product **Cerabar PMC21, PMP21**

Approval code: « BC » = ATEX II 3G Ex ec IIC T4 Gc

Installed mounting of the following components:

- M12 plug 90° angle IP67/68/IP69K with 25 meter shielded cable (E+H code: PTSP-AA1XB1/71456565 / Pepperl+Fuchs code: V1-WV4A-25M-PUR-ABG0)
- Protection cover (E+H code: 71395803)

Is in conformity with Standards:


- EN 60079-0 (2012) – Explosive atmosphere Part 0: Equipment – General requirements
- IEC 60079-7 (2015) – Explosive atmosphere – Part 7: Equipment protection by increased safety “e”

Condition of use:

1. Protection cover to be mounted according to Special documentation SD02243F
2. Once installed in potentially atmosphere DO NOT DISCONNECT electrical connections when energized.
3. The Safety Instruction of the XA01533P must be observed.

This declaration of compliance is exclusively valid for the listed products in delivery status. The validity of this document for placing the product on the market expires 3 year(s) after the date of issue.

Maulburg, 12-November-2019
Endress+Hauser SE+Co. KG



I.A. Dr. Armin Hummelbrumm
Group Leader Product Safety
Research & Development