

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** Pufferlösung CPY3 +468 mV**Synonym:** Buffer Solution CPY3 +468 mV**Article number:** CPY3-B-5**1.2 Relevant identified uses of the substance or mixture and uses advised against***No further relevant information available.***Application of the substance / the mixture** *Laboratory chemicals***1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:***Endress+Hauser**Conducta GmbH+Co. KG**Dieselstraße 24**D-70839 Gerlingen***Further information obtainable from:***Phone: +49 (0)7156 209-10117**E-Mail: MSDS.PCC@endress.com***1.4 Emergency telephone number:** 0091-26589391**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008***corrosion**Skin Corr. 1A H314 Causes severe skin burns and eye damage.**Eye Dam. 1 H318 Causes serious eye damage.***2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008***The product is classified and labelled according to the CLP regulation.***Hazard pictograms**

GHS05

Signal word *Danger***Hazard-determining components of labelling:***sulphuric acid***Hazard statements***H314 Causes severe skin burns and eye damage.***Precautionary statements***P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].**P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P310 Immediately call a POISON CENTER/doctor.**P321 Specific treatment (see on this label).**P405 Store locked up.**P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 1)

Additional information:

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 7664-93-9 EINECS: 231-639-5	<i>sulphuric acid</i> ⚠ Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: $C \geq 15\%$ Skin Irrit. 2; H315: $5\% \leq C < 15\%$ Eye Irrit. 2; H319: $5\% \leq C < 15\%$	2-6%
CAS: 10028-22-5 EINECS: 233-072-9	<i>iron(III) sulfate</i> ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	2-6%
CAS: 7720-78-7 EINECS: 231-753-5	<i>iron(II) sulfate</i> ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-2.5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information: Immediately remove any clothing soiled by the product.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: no further information

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters No further relevant information available.

Protective equipment: Mount respiratory protective device.

(Contd. on page 3)

Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 2)

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures***Mount respiratory protective device.**Wear protective equipment. Keep unprotected persons away.**Wear protective clothing.***6.2 Environmental precautions:***Dilute with plenty of water.**Do not allow to enter sewers/ surface or ground water.***6.3 Methods and material for containment and cleaning up:***Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).**Use neutralising agent.**Dispose contaminated material as waste according to item 13.**Ensure adequate ventilation.***6.4 Reference to other sections***See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.***SECTION 7: Handling and storage****7.1 Precautions for safe handling***Keep receptacles tightly sealed.**Ensure good ventilation/exhaustion at the workplace.**Prevent formation of aerosols.***Information about fire - and explosion protection:** *Keep respiratory protective device available.***7.2 Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** *No special requirements.***Information about storage in one common storage facility:** *Not required.***Further information about storage conditions:** *Keep container tightly sealed.***Storage class:** 8 B**7.3 Specific end use(s)** *No further relevant information available.***SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 7664-93-9 sulphuric acid**IOELV (EU) | Long-term value: 0.05 mg/m³**DNELs****CAS: 7664-93-9 sulphuric acid**Inhalative | DNEL short-term | 0.1 mg/m³ (worker) (local effects)| DNEL long-term | 0.05 mg/m³ (worker) (local effects)**PNECs****CAS: 7664-93-9 sulphuric acid**

PNEC | 8.8 mg/L (Wastewater treatment plant)

| 0.25 mg/L (sea water)

PNEC | 2.5 µg/L (fresh water)

PNEC | 2 µg/kg (marine sediment)

| 2 µg/kg (freshwater sediment)

Additional information: *The lists valid during the making were used as basis.*

(Contd. on page 4)

IND

Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 3)

8.2 Exposure controls**Appropriate engineering controls** *No further data; see item 7.***Individual protection measures, such as personal protective equipment****General protective and hygienic measures:***Keep away from foodstuffs, beverages and feed.**Immediately remove all soiled and contaminated clothing**Wash hands before breaks and at the end of work.**Avoid contact with the eyes.**Avoid contact with the eyes and skin.***Respiratory protection:***In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.***Hand protection***Protective gloves**To avoid skin problems reduce the wearing of gloves to the required minimum.**Only use chemical-protective gloves with CE-labelling of category III.**The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.***Material of gloves***Nitrile rubber, NBR**Chloroprene rubber, CR**The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.***Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.***Eye/face protection***Tightly sealed goggles***Body protection:** *Protective work clothing***SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information**

Physical state	<i>Fluid</i>
Colour:	<i>Dark yellow</i>
Odour:	<i>Odourless</i>
Odour threshold:	<i>Not determined.</i>
Melting point/freezing point:	<i>Undetermined.</i>
Boiling point or initial boiling point and boiling range	<i>Undetermined.</i>
Flammability	<i>Not applicable.</i>
Lower and upper explosion limit	
Lower:	<i>Not determined.</i>
Upper:	<i>Not determined.</i>
Flash point:	<i>Not applicable.</i>
Decomposition temperature:	<i>Not determined.</i>

(Contd. on page 5)

Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 4)

pH at 20 °C	<2
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C:	1.1 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.

9.2 Other information**Appearance:****Form:**

Fluid

Important information on protection of health and environment, and on safety.**Auto-ignition temperature:**

Product is not selfigniting.

Explosive properties:

Product does not present an explosion hazard.

Not determined.

Solvent content:**Water:**

90-95 %

Solids content:

0.0 %

Change in condition**Evaporation rate**

Not determined.

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity**10.1 Reactivity** No further relevant information available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.**10.4 Conditions to avoid** No further relevant information available.**10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 6)

Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 5)

10.6 Hazardous decomposition products: *No dangerous decomposition products known.***SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Skin corrosion/irritation** *Causes severe skin burns and eye damage.***Serious eye damage/irritation** *Causes serious eye damage.***11.2 Information on other hazards****Endocrine disrupting properties***None of the ingredients is listed.***SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:** *No further relevant information available.***12.2 Persistence and degradability** *No further relevant information available.***12.3 Bioaccumulative potential** *No further relevant information available.***12.4 Mobility in soil** *No further relevant information available.***12.5 Results of PBT and vPvB assessment****PBT:** *Not applicable.***vPvB:** *Not applicable.***12.6 Endocrine disrupting properties***The product does not contain substances with endocrine disrupting properties.***12.7 Other adverse effects****Additional ecological information:****General notes:***Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water**Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.**Must not reach sewage water or drainage ditch undiluted or unneutralised.**Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.***SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation***Must not be disposed together with household garbage. Do not allow product to reach sewage system.***Uncleaned packaging:****Recommendation:** *Disposal must be made according to official regulations.***Recommended cleansing agents:** *Water, if necessary together with cleansing agents.***SECTION 14: Transport information****14.1 UN number or ID number****IMDG, IATA**

UN2796

14.2 UN proper shipping name**ADR**

UN2796 SULPHURIC ACID

IMDG

SULPHURIC ACID

IATA

Sulphuric acid

(Contd. on page 7)

—IND—

Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 6)

14.3 Transport hazard class(es)**ADR**

Class 8 (C1) Corrosive substances.
Label 8

IMDG, IATA

Class 8 Corrosive substances.
Label 8
14.4 Packing group
ADR, IMDG, IATA II
14.5 Environmental hazards: Not applicable.
14.6 Special precautions for user Warning: Corrosive substances.
Hazard identification number (Kemler code): 80
EMS Number: F-A, S-B
Segregation groups Strong acids
Stowage Category B
Segregation Code SG36 Stow "separated from" SGG18-alkalis.
 SG49 Stow "separated from" SGG6-cyanides
14.7 Maritime transport in bulk according to IMO instruments Not applicable.

Transport/Additional information:**ADR**

Limited quantities (LQ) 1L
Transport category 2
Tunnel restriction code E

IMDG

Limited quantities (LQ) 1L
Excepted quantities (EQ) Code: E2
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation": UN 2796 SULPHURIC ACID, 8, II

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms

GHS05

Signal word Danger

Hazard-determining components of labelling:
 sulphuric acid

(Contd. on page 8)

Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 7)

Hazard statements*H314 Causes severe skin burns and eye damage.***Precautionary statements***P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].**P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P310 Immediately call a POISON CENTER/doctor.**P321 Specific treatment (see on this label).**P405 Store locked up.**P501 Dispose of contents/container in accordance with local/regional/national/international regulations.***Directive 2012/18/EU****Named dangerous substances - ANNEX I** *None of the ingredients is listed.***National regulations:****Waterhazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.***15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.***SECTION 16: Other information***This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.***16.1 Relevant phrases***H302 Harmful if swallowed.**H314 Causes severe skin burns and eye damage.**H315 Causes skin irritation.**H319 Causes serious eye irritation.***16.3 Recommended restriction of use****Department issuing SDS:** *PCC-TWR***Contact:** *MSDS.pcc@endress.com***Abbreviations and acronyms:***RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)**ICAO: International Civil Aviation Organisation**ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**DNEL: Derived No-Effect Level (REACH)**PNEC: Predicted No-Effect Concentration (REACH)**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Acute Tox. 4: Acute toxicity – Category 4**Skin Corr. 1A: Skin corrosion/irritation – Category 1A**Skin Irrit. 2: Skin corrosion/irritation – Category 2**Eye Dam. 1: Serious eye damage/eye irritation – Category 1**Eye Irrit. 2: Serious eye damage/eye irritation – Category 2**** Data compared to the previous version altered.**